

### Ouvrages cités

- Agriculture Canada. 1985. Manual of Nearctic Diptera. Vol. 1, Biosystematic Research Institute, Ottawa, Ontario, Monograph No. 27. pp. 355-391.
- Akiba, Y.. 1986. Microbial ecology of *Bacillus thuringiensis*. VI. Germination of *Bacillus thuringiensis* spores in the soil. Applied Entomology and Zoology. 21 : 76-80.
- Akiba, Y.. 1991. Assesment of rainwater-mediated dispersion of field-sprayed *Bacillus thuringiensis* in soil. Applied Entomology and Zoology. 26: 477-483.
- Ali, A.. 1981. *Bacillus thuringiensis* serovar. *israelensis* (ABG-6108) against Chironomids (Diptera: Chironomidae) and some nontarget aquatic invertebrates. Journal of Invertebrate Pathology. 38 : 264-272.
- Aly, C.. 1985. Germination of *Bacillus thuringiensis* var. *israelensis* spores in the gut of Aedes Larvae (Diptera: Culicidae). Journal of Invertebrate Pathology. 45 : 1-8.
- Aly, C. et M. S. Mulla. 1986. Orientation and ingestion rates of larval *Anopheles albimanus* in response to floating particles. Entomologia Experimentalis et Applicata. 42 : 83-90.
- Aly, C. et M. S. Mulla. 1987. Effect of two microbial insecticides on aquatic predators of mosquito. Journal of Applied Entomology. 103, 113-118.
- Aly, A., R. D. Baggs et J. P. Stewart. 1981. Susceptibility of some Florida chironomids and mosquitoes to various formulations of *Bacillus thuringiensis* serovar. *israelensis*. Journal of Economic Entomology. 74 : 672-677.
- Aly, C., M. S. Mulla, B.-Z. Xu et W. Schnetter. 1988. Rate of ingestion by mosquito larvae (Diptera: Culicidae) as a factor of the effectiveness of a bacterial stomach toxin. Journal of Medical Entomology. 25 : 191-196.
- Aly, C., M. S. Mulla, W. Schnetter et B.-Z. Xu. 1987. Floating bait formulations increase effectiveness of *Bacillus thuringiensis* var. *israelensis* against *Anopheles* larvae. Journal of the American Mosquito Control Association. 3 : 583-588.
- Back, C., J. Boisvert, J. Lacoursière et G. Charpentier. 1985. High-dosage treatment of a Quebec stream with *Bacillus thuringiensis* serovar. *israelensis*: Efficacy against black fly larvae (Diptera: Simuliidae) and impact on non-target insects. Canadian Entomologist. 117 : 1523-1534.
- Balcer, M. D., K. L. Schud, A. R. Lima et L. Shannon. 2004. Effects of 8-year *Bacillus thuringiensis israelensis* (*Bti*) or methoprene treatment on wetland nontarget macroinvertebrates. Manuscrit en préparation.
- Barnard, D. R. et M. S. Mulla. 1977. A non-attractive sampling device for the collection of adult mosquitoes. Mosquito News. 37 : 142-144.
- Baumann, L., K. Okamoto, B. M. Unterman, M. J. Lynch et P. Baumann. 1984. Phenotypic characterization of *Bacillus thuringiensis* and *Bacillus cereus*. Journal of Invertebrate Pathology. 44 : 329-341.

- Becker, N. et H. W. Ludwig. 1983. Mosquito control in West Germany. *Bulletin of the Society of Vector Ecology*. 8 : 85-93.
- Becker, N. et H. W. Ludwig. 1993. Investigation on possible resistance in *Aedes vexans* field populations after a 10-year application of *Bacillus thuringiensis*. *Journal of the American Mosquito Control Association*. 9 : 221-224.
- Becker, N. et J. Margalit. 1993. Use of *Bacillus thuringiensis israelensis* against mosquitoes and blackflies. pp. 147-170. Dans *Bacillus thuringiensis*, an environmental biopesticide: theory and practice. P. F. Entwistle, J. S. Cory, M. J. Bailey et S. Higgs (Eds.), John Wiley & Sons Ltd.
- Becker, N., D. Petric, M. Zgomba, C. Boase, C. Dahl, J. Lane et A. Kaiser. 2003. pp. 345-375. Mosquitoes and their control. Kluwer Academic / Plenum Publishers (Ed.). New York.
- Becker, N., M. Zgomba, M. Ludwig, D. Petric et F. Rettich. 1992. Factors influencing the efficacy of the microbial control agent *Bacillus thuringiensis israelensis*. *Journal of the American Mosquito Control Association*. 8 : 285-289.
- Bernhard, K. et R. Utz. 1993. Production of *Bacillus thuringiensis* insecticides for experimental and commercial uses. pp. 254-267. Dans *Bacillus thuringiensis*, an environmental biopesticide: theory and practice. P. F. Entwistle, J. S. Cory, M. J. Bailey et S. Higgs (Eds.). John Wiley & Sons Ltd.
- Boisvert, M. et J. Boisvert. 1999. Persistence of toxic activity and recycling of *Bacillus thuringiensis* var. *israelensis* in cold water: Field experiments using diffusion chambers in a pond. *Biocontrol Science and Technology*. 9 : 507-522.
- Boisvert, M. et J. Boisvert. 2000. Effects of *Bacillus thuringiensis* var. *israelensis* on target and nontarget organisms: a review of laboratory and field experiments. *Biocontrol Science and Technology* 10 : 517-561.
- Boisvert, M., J. Boisvert et A. Aubin. 2001a. A new field procedure and method of analysis to evaluate the performance of *Bacillus thuringiensis* subsp. *israelensis* liquid formulations in stream and rivers. *Biocontrol Science and Technology* 11 : 261-271.
- Boisvert, M., J. Boisvert et A. Aubin. 2001b. Factors affecting residual dosages of two formulations of *Bacillus thuringiensis* subsp. *israelensis* tested in the same stream during a 3-year experiment. *Biocontrol Science and Technology* 11 : 727-744.
- Boisvert, M., J. Boisvert et A. Aubin. 2001c. Factors affecting black fly mortality and carry of two formulations of *Bacillus thuringiensis* subsp. *israelensis* tested in the same stream during a 3-year experiment. *Biocontrol Science and Technology* 11 : 711-725.
- Boisvert, M., J. Boisvert et A. Aubin. 2002. Influence of stream profile and abiotic factors on the performance and residual dosages of two commercial formulations of *Bacillus thuringiensis* subsp. *israelensis* during a 2-year experiment. *Biocontrol Science and Technology* 12 : 19-33.

- Bourassa, J. P.. 2000. Le Moustique : par solidarité écologique. Les Éditions du Boréal, Québec,. 240 p.
- Bourassa, J. P. et J. Boisvert. 2004. Le virus du Nil occidental : le connaître, réagir et se protéger. Éditions MultiMondes. Québec. 148 p.
- Brazner, J. C. et R. L. Anderson. 1986. Ingestion and absorption of *Bacillus thuringiensis* subsp. *israelensis* by *Gammarus lacustris* in the laboratory. *Applied and Environmental Microbiology*. 52 : 1386-1390.
- Brown, M. D., D. Thomas, et B. H. Kay. 1998 Acute toxicity of selected pesticides to the Pacific Blue-eye, *Pseudomugil signifer* (Pisces). *Journal of the American Mosquito Control Association*. 14 : 463-466.
- Brown, M.D., D. Thomas, P. Mason, J. G. Greenwood et B. H. Kay. 1999 Laboratory and field evaluation of the efficacy of four insecticides for *Aedes vigilax* (Diptera: Culicidae) and toxicity to the nontarget shrimp *Leander tenuicornis* (Decapoda: Palaemonidae). *Journal of Economic Entomology*. 92 : 1045-1051.
- Brown, M. D., T. M. Watson, S. Green, J. G. Greenwood, D. Purdie et B. H. Kay. 2000. Toxicity of insecticides for control of freshwater *Culex annulirostris* (Diptera: Culicidae) to the nontarget shrimp, *Caradina indistincta* (Decapoda: Atyidae). *Journal of Economic Entomology*. 93 : 667-672.
- Calamarie, D., L. Yaméogo, J.M. Hougard et C. Levèque. 1998. Environmental assessment of larvicide use in the Onchocerciasis Control Programme. *Parasitology Today*. 14 : 485-489.
- Cantwell, G.C. et W. W. Cantelo. 1984. Effectiveness of *Bacillus thuringiensis* var. *israelensis* in controlling a sciarid fly, *Lycoriella mali*, in mushroom compost. *Journal of Economic Entomology*. 77 : 473-475.
- Car, M. et F. C. de Moor. 1984. The response of Vaal River drift and benthos to *Simulium* (Diptera: Nematocera) control using *Bacillus thuringiensis* var. *israelensis* (H-14). *Onderstepoort Journal of Veterinary Research*. 51 : 155-160.
- Chamber, D. M., L. F. Young et H. S. Hill Jr.. 1986. Backyard mosquito larval habitat availability and use as influenced by census tract determined resident income levels. *Journal of the American Mosquito Control Association*. 2 : 539-544.
- Charbonneau, C. S., R. D. Drobney et C. F. Rabeni. 1994. Effects of *Bacillus thuringiensis* var. *israelensis* on nontarget benthic organisms in a lentic habitat and factors affecting the efficacy of the larvicide. *Environmental Toxicology and Chemistry*. 13 : 267-279.
- Charles, J. F. et H. de Barjac. 1983. Action des cristaux de *Bacillus thuringiensis* var. *israelensis* sur l'intestin moyen des larves d'*Aedes aegypti* L., en microscopie électronique. *Annals of Microbiology*. (Institut Pasteur, Paris) 134a : 197-218.
- Cheung, P. Y. K. et B. D. Hammock. 1985. Micro-lipid-droplet encapsulation of

- Bacillus thuringiensis* subsp. *israelensis*  $\delta$ -endotoxin for control of mosquito larvae. Applied and Environmental Microbiology. 50 : 984-988.
- Cheung, P. Y. K., D. Buster, B. D. Hammock, R. M. Roe et A. R. Alford. 1986. *Bacillus thuringiensis* var. *israelensis*  $\delta$ -endotoxin: evidence of neurotoxic action. Pesticide Biochemistry and Physiology. 27 : 42-49.
- Chevalier, P., L. St Laurent, O. Samuel et D. G. Bolduc. 2002. Larvicides pour contrer la transmission du virus du Nil Occidental chez les humains. Institut National de Santé Publique du Québec. 46 p.
- Chilcott, C. N., J. S. Pillas et J. Kalmakoff. 1983. Efficacy of *Bacillus thuringiensis* var. *israelensis* as a biocontrol agent against larvae of Simuliidae (Diptera) in New-Zealand. New Zealand Journal of Zoology. 10 : 319-326.
- Chilcott, C., B. H. Knowles, D. Ellar et F. A. Drobniowski. 1990. Mechanism of action of *Bacillus thuringiensis israelensis* parasporal body. pp. 45-65. Dans Bacterial control of mosquitoes and black flies: biochemistry, genetics and applications of *Bacillus thuringiensis israelensis* and *Bacillus sphaericus*. H. de Barjac and D. J. Sutherland (Eds.), Rutgers University Press, New Brunswick. 556 p.
- Claus, D. et R. C. W. Berkely. 1986. Genus *Bacillus* Cohn 1872. pp. 1105-1140. Dans Bergey's Manual of Systematic Bacteriology, Vol. 2, P. H. A. Sneath, F. G. Priest, M. Goodfellow et C. Todd (Eds.), Williams & Wilkins, Baltimore.
- Colbo, M. H. et A. H. Undeen. 1980. Effects of *Bacillus thuringiensis* var. *israelensis* on non-target insects in stream trials for control of simuliidae. Mosquito News. 40 : 368-371.
- Conseil National du Canada. 1982. Biting flies in Canada: Health effects and economic consequences. Associate committee on scientific criteria for environmental quality. Publication no. 19248. C.N.R.C., Canada. 158 p.
- Crosa, G., L. Yaméogo, D. Calamari, F. Kondé et K. Nabé. 2001. Effects of larvicide treatment on invertebrate communities of Guinean rivers, West Africa Hydrobiologia. 458 : 151-158.
- Crosskey, R. W.. 1990. The natural history of black flies. John Wiley & Sons, England, 711 p.
- Dame, D., K. Savage, M. Meisch et S. Oldacre. 1981. Assessment of industrial formulations of *Bacillus thuringiensis* var. *israelensis*. Mosquito News. 41 : 540-546.
- Damgaard, P. H., A. Abdel-Hameed, J. Eilenberg et P. H. Smits. 1998. Natural occurrence of *Bacillus thuringiensis* on grass foliage. World Journal of Microbiology and Biotechnology. 14 : 239-242.
- Davidson, E. W., A. W. Sweeney et R. Cooper. 1981. Comparative field trials of *Bacillus sphaericus* strain 1593 and *Bacillus thuringiensis* var. *israelensis* commercial powder formulations. Journal of Economic Entomology. 74 : 350-354.

- Davies, D. M.. 1991. Additional records of predators upon black flies. Bulletin of the Society of Vector Ecology. 16 : 256-268.
- de Barjac, H.. 1978. Étude cytologique de l'action de *Bacillus thuringiensis* var. *israelensis* sur larves de moustiques. Comptes Rendus de l'Académie des Sciences (Paris). 286 : 1629-1632.
- de Barjac, H.. 1990. Characterization and prospective view of *Bacillus thuringiensis israelensis*. pp. 11-15. Dans Bacterial control of mosquitoes and black flies: biochemistry, genetics and applications of *Bacillus thuringiensis israelensis* and *Bacillus sphaericus*. H. de Barjac and D. J. Sutherland (Eds.), Rutgers University Press, New Brunswick. 556 p.
- de Barjac, H. et E. Frachon. 1990. Classification of *Bacillus thuringiensis* strains. Entomophaga. 35 : 233-240.
- de Barjac, H., I. Larget, et R. Killick-Hendrick, 1981. Toxicité de *Bacillus thuringiensis* var. *israelensis* sérotype H-14 pour les larves de phlébotomes vecteurs de leishmanioses. Bulletin de la Société de Pathologie Exotique. 74 : 485-489.
- de Moor, F. C. et M. Car. 1986. A field evaluation of *Bacillus thuringiensis* var. *israelensis* as a biological control agent for *Simulium chutteri* (Diptera: Nematocera) in the middle Orange River. Onderstepoort Journal of Veterinary Research. 53 : 43-50.
- Dejoux, C.. 1979. Recherches préliminaires concernant l'action de *Bacillus thuringiensis israelensis* de Barjac sur la faune d'invertébrés d'un cours d'eau tropical. Organisation Mondiale de la Santé. World Health Organisation/Vector Biology Control. 79.719.
- Dejoux, C. et J. M. Elouard. 1990. Potential impact of microbial insecticides on the freshwater environment, with special reference to the WHO/UNDP/World Bank, Onchocerciasis Control Programme. pp. 66-83. Dans Safety of Microbial Insecticides. M. Laird, L. A. Lacey et E. W. Davidson (Eds.). CRC Press, Boca Raton.
- Dejoux, C., F. M. Gibon et L. Yaméogo. 1985. Toxicité sur la faune non-cible de quelques insecticides nouveaux utilisés en milieu aquatique tropical. IV. Le *Bacillus thuringiensis* var. *israelensis*. Revue d'Hydrobiologie Tropicale. 18 : 31-50.
- Delécluse, A., C. Bourgoïn, A. Klier et G. Rapoport. 1988. Specificity of action on mosquito larvae of *Bacillus thuringiensis israelensis* toxins encoded by two different genes. Molecular and General Genetics. 214 : 42-47.
- Dupont C. et J. Boisvert. 1985. Persistence of *Bacillus thuringiensis* serovar. *israelensis* toxic activity in the environment and interaction with natural substrates. Water Air and Soil Pollution. 29 : 425-438.
- Eldridge, B.F., R. K. Wasnino et D. Hennenberger. 1985. Control of snow pool mosquitoes with *Bacillus thuringiensis* ser. H-14 in mountain environments in California and Oregon. Journal of the American Mosquito Control Association. 1 : 69-75.

- Federici, B., P. Lüthy et J. E. Ibarra. 1990. Parasporal body of *Bacillus thuringiensis israelensis*: structure, protein composition, and toxicity. pp. 16-44. Dans *Bacillus thuringiensis*, an environmental biopesticide: theory and practice. P. F. Entwistle, J. S. Cory, M. J. Bailey et S. Higgs (Eds.), John Wiley & Sons Ltd.
- Foo, A. E. S. et H. H. Yap, 1983. Field trials on the use of *Bacillus thuringiensis* serotype H-14 against *Mansonia* mosquitoes in Malaysia. *Mosquito News* 43 : 306-310.
- Fortin, C., D. Lapointe et G. Charpentier. 1986. Susceptibility of brook trout (*Silvelinus fontinalis*) fry to a liquid formulation of *Bacillus thuringiensis* serovar. *israelensis* (Teknar®) used for blackfly control. *Canadian Journal of Fisheries and Aquatic Sciences*. 43: 1667- 1670. 25 p.
- Fredeen, F. J. H.. 1961. A trap for studying the attracting behaviour of black flies, *Simulium articum* Mall.. *Canadian Entomologist*. 93 : 73-78.
- Garcia, R., B. DesRochers et W. Tozer. 1980. Studies on the toxicity of *Bacillus thuringiensis* var. *israelensis* against organisms found in association with mosquito larvae. *Proceedings and Papers of the California Mosquito and Vector Control Association*. 48 : 33-36.
- Garcia, R., B. Desrochers et W. Tozer. 1981. Studies on *Bacillus thuringiensis* var. *israelensis* against mosquito larvae and other organisms. *UNDPI World Bank. World Health Organisation*. 790197, 16 p.
- Garcia, R., B. Desrochers, R. W. Toza et J. McNamara. 1983. Evaluation of *Bacillus thuringiensis* var. *israelensis* serotype H- 14 for mosquito control. *Proceedings and Papers of the California Mosquito and Vector Control Association*. 51 : 25-29.
- Georghiou, G. P., J. Baker, Z. Alkatib, R. Mellon, C. Murray, H. Tran, M. Vasquez, F. Pelsue et J. Hazelrigg. 1983. Insecticide resistance in mosquitos: research on new chemicals and techniques for management. *Mosquito control research. Annual report*. (cité dans Goldman *et al.* 1986).
- Georghiou, G. P. et M. C. Wirth. 1997. Influence of exposure to single versus multiple toxins of *Bacillus thuringiensis* subsp. *israelensis* on development of resistance in the mosquito *Culex quiquefasciatus* (Diptera: Culicidae). *Applied and Environmental Microbiology*. 63 : 1095-1101.
- Gharib, A. H. et W. L. Hilsenhoff. 1988. Efficacy of two formulations of *Bacillus thuringiensis* var. *israelensis* (H-14) against *Aedes vexans* and safety to non-target macroinvertebrates. *Journal of the American Mosquito Control Association*. 4 : 252-255.
- Gharib, A. H. et L. Szalay-Marzo. 1986. Selection of resistance to *Bacillus thuringiensis* serotype H-14 in a laboratory strain of *Aedes aegypti*. Dans *Fundamentals and Applied Aspects of Invertebrate Pathology*. R.A. Samson, J.M. Vlask et D. Peters (Eds.). Netherlands.
- Gibbs, K. E., F. C. Brautigam, C. S. Stubbs et L. M. Zibilske. 1986. Experimental applications of *Bti* for larval black fly control: persistence and downstream

- carry, efficacy, impact on non-target invertebrates and fish feeding. Technical Bulletin of the Maine Agriculture Experimental Station. 123: 1-25.
- Gilbert, R. J.. 1979. *Bacillus cereus* gastroenteritis. pp. 495-518. Dans Food-borne infections and intoxications. H. Reimann and F. L. Bryan (Eds.), 2nd ed, Academic Press, New York.
- Glare, T. R. et M. O'Callaghan. 1998. Environmental and health impacts of *Bacillus thuringiensis israelensis*. Report for the Ministry of Health, New Zealand. 58 p.
- Goldberg, L. J. et J. Margalit. 1977. A bacterial spore demonstrating rapid larvicidal activity against *Anopheles sergentii*, *Uranotaenia unguiculata*, *Culex univittatus*, *Aedes aegypti*, and *Culex pipiens*. Mosquito News. 37 : 355-358.
- Goldman, I. F., J. Arnold et B. C. Carlton. 1986. Selection for resistance to *Bacillus thuringiensis* var. *israelensis* in field and laboratory populations of the mosquito *Aedes aegypti*. Journal of Invertebrate Pathology. 47 : 317-324.
- Gordon R.E.. 1977. Some taxonomic observations on the genus *Bacillus*. pp. 67-82. Dans Biological regulation of vectors: the saprophytic in aerobic bacteria and fungi. J. D. Briggs. (Ed.), U.S. Department of Health, Education and Welfare Publication No. NIH-77-1180, Washington, DC.
- Guillet, P. et H. Escaffre. 1979. Évaluation de *Bacillus thuringiensis israelensis* de Barjac pour la lutte contre les larves de *Simulium damnosum* s.l. Part 2, Efficacité comparé de trois formulations expérimentales. World Health Organisation/Vector Biology Control. 79.735.
- Guillet, P., H. Escaffre et J. M. Prud'hom. 1982. L'utilisation d'une formulation à base de *Bacillus thuringiensis* H 14 dans la lutte contre l'onchocercose en Afrique de l'Ouest. Part 1, Efficacité et modalités d'application. Cahiers ORSTOM, série Entomologie Médicale et Parasitologie 20 : 175-180.
- Guillet, P., H. Escaffre, J. M. Prud'hom et S. Bakayoko. 1985a. Etude des facteurs conditionnant l'efficacité des préparations à base de *Bacillus thuringiensis* H 14 vis-à-vis des larves du complexe *Simulium damnosum* (Diptera: Simuliidae). Part 1, Influence de la nature et la taille des particules. Cahiers ORSTOM, série Entomologie Médicale et Parasitologie 23: 257-264.
- Guillet, P., H. Escaffre, J. M. Prud'hom et S. Bakayoko. 1985b. Etude des facteurs conditionnant l'efficacité des préparations à base de *Bacillus thuringiensis* H 14 vis-à-vis des larves du complexe *Simulium damnosum* (Diptera: Simuliidae). Part 2, Influence du temps de contact et de la quantité de particules naturelles en suspension dans l'eau. Cahiers ORSTOM, série Entomologie Médicale et Parasitologie. 23 : 265-271.
- Hall, R. O., C. L. Peredney et J. L. Meyer. 1996. The effect of invertebrate consumption on bacterial transport in a mountain stream. Limnology and Oceanography. 41 : 1180-1187.
- Hershey, A. E., A. R. Lima, G. J. Niemi et R. R. Regal. 1998. Effects of *Bacillus thuringiensis israelensis* (*Bti*) and methoprene on nontarget

- macroinvertebrates in Minnesota wetlands. *Ecological Applications*. 8 : 41-60.
- Hershey, A. E., R. W. Merritt, M. C. Miller et J. S. McCrea. 1996. Organic matter processing by larval black flies in a temperate woodland stream. *Oikos*. 75 : 524-532.
- Hershey, A.E., L. Shannon, R. Axler, C. Ernst et P. Mickelson. 1995. Effects of methoprene and *Bti* (*Bacillus thuringiensis* var. *israelensis*) on non-target insects. *Hydrobiologia*. 308 : 219-227.
- Hofmann, C. et P. Lüthy. 1986. Binding and activity of *Bacillus thuringiensis* delta-endotoxin to invertebrate cells. *Archives of Microbiology*. 146 : 7-11.
- Holck, A. R. et C. L. Meek. 1987. Dose-mortality responses of crawfish and mosquitoes to selected pesticides. *Journal of the American Mosquito Control Association*. 3 : 407-411.
- Honée, G. et B. Visser. 1993. The mode of action of *Bacillus thuringiensis* crystal proteins. *Entomologie Expérimentale et Appliquée*. 69 : 145-155.
- Hougard, J. M., F. Darriet, et S. Bakayoko. 1983. Évaluation en milieu naturel de l'activité larvicide de *Bacillus thuringiensis* sérotype H-14 sur *Culex quinquefasciatus* Say, 1823 et *Anopheles gambiae* Giles, 1902 sl. (Diptera: Culicidae) en Afrique de l'Ouest. *Cahiers ORSTOM, série Entomologie Médicale et Parasitologie* 21 : 111-117.
- Hougard, J. M., J. Duval et H. Escaffre. 1985. Evaluation en milieu naturel de l'activité larvicide d'une formulation de *Bacillus thuringiensis* H-14 sur *Aedes aegypti* (L.) dans un foyer épidémique de fièvre jaune en Côte d'Ivoire. *Cahiers ORSTOM, série Entomologie Médicale et Parasitologie* 23 : 235-240.
- Ibarra, J. E. et B. A. Federici. 1986. Isolation of a relatively nontoxic 65-kilodalton protein inclusion from the parasporal body of *Bacillus thuringiensis* subsp. *israelensis*. *Journal of Bacteriology*. 165 : 527-533.
- Ignoffo, C. M., T. L. Couch, C. Garcia et M. J. Kroa. 1981. Relative activity of *Bacillus thuringiensis* var. *kurstaki* and *B. thuringiensis* var. *israelensis* against larvae of *Aedes aegypti*, *Culex quinquefasciatus*, *Trichoplusia ni*, *Heliothis zea* and *Heliothis virescens*. *Journal of Economic Entomology*. 74 : 218-222.
- Jackson, J. K., B. W. Sweeney, T. L. Bott, J. D. Newbold et L. A. Kaplan. 1994. Transport of *Bacillus thuringiensis* var. *israelensis* and its effect on drift and the benthic densities of nontarget macroinvertebrates in the Susquehanna River, Northern Pennsylvania. *Canadian Journal of Fisheries and Aquatic Sciences*. 51 : 295-314.
- Jackson, J. K., R. J. Horwitz et B. W. Sweeney. 2002. Effects of *Bacillus thuringiensis israelensis* on black flies and nontarget macroinvertebrates and fish in a large river. *Transactions of the American Fisheries Society*. 131 : 910-930.
- Johnson, K. M.. 1984. *Bacillus cereus* foodborne illness: an update. *Journal of*



Food Microbiology Protocols. 47 : 145-153

- Kallapur, V. L., M. E. Mayes, F. W. Edens, G. A. Held, W. C. Dauterman, C. Y. Kawanishi et R. M. Roe. 1992. Toxicity of the crystalline polypeptides of *Bacillus thuringiensis* subsp. *israelensis* in Japanese quail. *Pesticide Biochemistry and Physiology*. 44 : 208-216.
- Knepper, R. G. et E. D. Walker. 1989. Effect of *Bacillus thuringiensis israelensis* (H-14) on the isopod *Asellus forbesi* and spring Aedes mosquitoes in Michigan. *Journal of the American Mosquito Control Association*. 5 : 596-598.
- Kondo, S., M. Fujiwara, M. Ohba et T. Ishii. 1995a. Comparative activities of the four *Bacillus thuringiensis* serovar. *israelensis* against a chironomid midge, *Paratanytarsus grimmii* (Diptera: Chironomidae). *Microbiological Research*. 150 : 425-428.
- Kondo, S., M. Ohba et T. Ishii. 1995b. Comparative susceptibility of chironomid larvae (Diptera: Chironomidae) to *Bacillus thuringiensis* serovar. *israelensis* with special reference to altered susceptibility due to food difference. *Journal of Applied Entomology*. 119 : 123-125.
- Kun, H. J., J. R. Stoll et J. K. Olson. 1987. The public's view of mosquito problems in an organized control district. *Journal of the American Mosquito Control Association*. 3 : 1-7.
- Kurtak, D., C. Back, A. Chalifour, J. Doannnio, J. Dossou-Yovo, J. Duval, P. Guillet, R. Meyer, M. Ocran et B. Wahle. 1989. Impact of *Bti* on blackfly control in the Onchocerciasis Control Programme in West-Africa. *Israel Journal of Entomology*. 23 : 21-38.
- Kurtak, D. C., J. Grünewald et J. A. T. Baldry. 1987. Control of black fly vector of onchocerciasis in Africa, pp. 431-362. Dans *Black flies: ecology, population management, and annotated world list*. K. C. Kim et R. W. Merritt (Eds.), The Pennsylvania State University Press, U.S.A.
- Lacey, L. A.. 1985. *Bacillus thuringiensis* serotype H-14 (Bacteria). Dans *Biological control of mosquitoes*. H. C. Chapman Ed., American Mosquito Control Association Bulletin 6 : 132- 158.
- Lacey, L.A. et A. Inman. 1985. Efficacy of granular formulations of *Bacillus thuringiensis* (H-14) for the control of *Anopheles* larvae in rice fields. *Journal of the American Mosquito Control Association*. 1 : 38-42.
- Lacey, L. A. et D. A. Dame. 1982. The effect of *Bacillus thuringiensis* var. *israelensis* on *Toxorhynchites rutilus rutilus* (Diptera: Culicidae) in the presence and absence of prey. *Journal of Medical Entomology*. 19 : 593-596.
- Lacey, L. A. et M. S. Mulla. 1990. Safety of *Bacillus thuringiensis* var. *israelensis* and *Bacillus sphaericus* to nontarget organisms in the aquatic environment. pp. 170-188. Dans *Safety of microbial insecticides*. M. Laird, L. L. Lacey et E. W. Davidson (Eds.), CRC Press Inc., Florida, USA. 259 p.
- Lacey, L. A., H. Escaffre, B. Philippon, A. Seketeli et P. Guillet. 1982. Large river

- treatment with *Bacillus thuringiensis* (H-14) for the control of *Simulium damnosum* s.l. Dans The Onchocerciasis Control Program. Tropenmedizin Parasitologie. 33 : 97-101.
- Lacoursière, J. O. et G. Charpentier. 1988. Laboratory study of the influence of water temperature and pH on *Bacillus thuringiensis* var. *israelensis* efficacy against black fly larvae (Diptera: Simuliidae). Journal of the American Mosquito Control Association. 4 : 64-72.
- Landén, R., M. Bryne et A. Abdel-Hameed. 1994. Distribution of *Bacillus thuringiensis* strain in Southern Sweden. World Journal of Microbiology and Biotechnology. 10 : 45-50.
- Lebrun, P. et Vlayen, P. (1981) Etude de la bioactivité comparée et des effets secondaires de *Bacillus thuringiensis* H-14. Zeitschrift für Angewandte Entomologie. 91 : 15-25.
- Leclair, R., G. Charpentier, F. Pronovost et S. Trottier. 1988. Progress report to the Metropolitan Mosquito Control District on the effects of the insect control agent, *Bacillus thuringiensis israelensis* (*Bti*), to some larval amphibian species. Groupe de Recherches sur les Insectes Piqueurs (GRIP), Département de chimie-biologie, Université du Québec à Trois-Rivières (Québec) Canada. 25p.
- Leclercq, M. 1987. Attaques massives des animaux et de l'homme par les simulies (Diptères). Revue Médicale de Liège. XLII : 327-334.
- Lee, B.M. et G. I. Scott. 1989. Acute toxicity of temephos, fenoxycarb, diflubenzuron, methoprene and *Bacillus thuringiensis* var. *israelensis* to mummichog (*Fundulus heteroclitus*). Bulletin of Environmental Contamination and Toxicology. 43 : 827-832.
- Lereclus, D., A. Delécluse et M. M. Lecadet. 1993. Diversity of *Bacillus thuringiensis* toxins and genes. pp. 37-70. Dans *Bacillus thuringiensis*, an environmental biopesticide: theory and practice. P. F. Entwistle, J. S. Cory, M. J. Bailey et S. Higgs (Eds.), John Wiley & Sons Ltd.
- Liber K, K.L. Schmude et D.M. Rau. 1998. Toxicity of *Bacillus thuringiensis* var. *israelensis* to chironomids in pond mesocosms. Ecotoxicology. 7 : 343-354.
- Lüthy, P. et H. R. Ebersold. 1981. *Bacillus thuringiensis* delta-endotoxin: histopathology and molecular mode of action. pp. 235-267. Dans Pathogenesis of invertebrate microbial diseases. E. W. Davidson (Ed.), Totowa, N.J..
- Mahmood F.. 1998. Laboratory bioassay to compare susceptibilities of *Aedes aegypti* and *Anopheles albimanus* to *Bacillus thuringiensis* var. *israelensis* as affected by their feeding rates. Journal of the American Mosquito Control Association. 14 : 69-71.
- Majori, G. et Ali, A. 1984. Laboratory and field evaluation of industrial formulations of *Bacillus thuringiensis* serovar. *israelensis* against some mosquito species of central Italy. Journal of Invertebrate Pathology. 43 : 313-323.

- Majori, G., A. Ali et G. Sabatinelli. 1987. Laboratory and field efficacy of *Bacillus thuringiensis* var. *israelensis* and *B. sphaericus* against *Anopheles gambiae* s.l. and *Culex quinquefasciatus* in Ouagadougou, Burkina Faso. Journal of the American Mosquito Control Association. 3 : 20-25.
- Malmqvist, B., R. S. Wotton et Y. Zhang. 2001. Suspension feeders transform massive amounts of seston in large northern rivers. Oikos. 92 : 35-43.
- Margalit, J. et H. Bobrogloi. 1984. The effect of organic materials and solids in water on the persistence of *Bacillus thuringiensis* var. *israelensis*. Zeitschrift fuer Angewandte Entomologie. 97 : 516-520.
- Margalit, J. et D. Dean. 1985. The story of *Bacillus thuringiensis* var. *israelensis*. Journal of the American Mosquito Control Association. 1 : 1-7.
- Margalith, Y. et E. Ben-Dov. 2000. Biological control by *Bacillus thuringiensis* subsp. *israelensis*. pp. 243-301. Dans Insect Pest Management, Techniques for Environmental Protection. F. E. Rechcigl et N. A. Rechcigl (Ed.). CRC Press LLC. USA.
- Martin, P. A.W. et R. S. Travers. 1989. Worldwide abundance and distribution of *Bacillus thuringiensis* isolates. Applied and Environmental Microbiology. 55 : 2437-2442.
- McCracken, I. R. et S. L. Matthews. 1997. Effects of *Bacillus thuringiensis* subsp. *israelensis* (*Bti*) applications on invertebrates from two streams on Prince Edward Island. Bulletin of Environmental Contamination and Toxicology. 58 : 291-298.
- McLaughlin, R. E. et J. Billodeaux. 1983. Effectiveness of *Bacillus thuringiensis* var. *israelensis* against *Psorophora columbiae* breeding in rice fields. Mosquito News. 43 : 30-33.
- Meadows, M. P.. 1993. *Bacillus thuringiensis* in the environment: ecology and risk assessment. pp. 193-220. Dans *Bacillus thuringiensis*, an environmental biopesticide: theory and practice. P. F. Entwistle, J. S. Cory, M. J. Bailey et S. Higgs (Eds.), John Wiley & Sons Ltd.
- Merritt, R. W., K. W. Cummins et T. M. Burton. 1984. The role of aquatic insects in the processing and cycling of nutrients, pp. 143-163. Dans The ecology of aquatic insects, V. H. Resh and D. M. Rosenberg (Eds.), Praeger Scientific. 625 p.
- Merritt, R. W., E. D. Walker, M. A. Wilzbach, K. W. Cummins et W. T. Morgan. 1989. A broad evaluation of *Bti* for black fly (Diptera: Simuliidae) control in a Michigan river: efficacy, carry and nontarget effects on invertebrates and fish. Journal of the American Mosquito Control Association. 5 : 397-415.
- Miura, T., R. M. Takahashi et F. S. Mulligan. 1980. Effects of the bacterial mosquito larvicide *Bacillus thuringiensis* serotype H-14 on selected aquatic organisms. Mosquito News. 40 : 619-622.
- Molloy, D.. 1990. Progress in the biological control of black flies with *Bacillus thuringiensis*, with emphasis on temperate climates. pp. 161-186 Dans

- Bacterial control of mosquitoes and black flies: biochemistry, genetics and applications of *Bacillus thuringiensis israelensis* and *Bacillus sphaericus*. H. de Barjac and D. J. Sutherland (Eds.), Rutgers University Press, New Brunswick. New Jersey.
- Molloy, D.. 1992. Impact of the black fly (Diptera: Simuliidae) control agent *Bacillus thuringiensis* var. *israelensis* on chironomids (Diptera: Chironomidae) and other nontarget insects: results of ten fields trails. Journal of the American Mosquito Control Association. 8 : 24-31.
- Molloy, D. et H. Jamnback. 1981. Field evaluation of *Bacillus thuringiensis* var. *israelensis* as a black fly biocontrol agent and its effects on nontarget stream insects. Journal of Economic Entomology. 74 : 314-318.
- Molloy, D., R. Gaugler et H. Jamnback. 1981. Factors influencing efficacy of *Bacillus thuringiensis* var. *israelensis* as a biological control agent of black fly larvae. Journal of Economic Entomology. 74 : 61-64.
- Molloy, D., S. P. Wraight, S. B. Kaplan, J. Gerardi et P. Petersen. 1984. Laboratory evaluation of commercial formulations of *Bacillus thuringiensis* var. *israelensis* against mosquito and black fly larvae. Journal of Agricultural Entomology. 1 : 161-168.
- Monaghan, M. T., S. A. Thomas, G. W. Minshall, J. D. Newbold et C. E. Cushing. 2001. The influence of filter-feeding benthic macroinvertebrates on the transport and deposition of particulate organic matter and diatoms in two streams. Limnology and Oceanography 46: 1091-1099.
- Morin, A., C. Back, A. Chalifour, J. Boisvert et R. H. Harper. 1988a. Effect of black fly ingestion and assimilation on seston transport in a Québec lake outlet. Canadian Journal of Fisheries and Aquatic Sciences. 45 : 705-714.
- Morin, A., C. Back, A. Chalifour, J. Boisvert et R. H. Harper. 1988b. Empirical models predicting ingesting rates of black fly larvae. Canadian Journal of Fisheries and Aquatic Sciences. 45 : 1711-1719.
- Morris, C. D. et K. B. Clanton. 1989. Significant associations between mosquito control service request and mosquito populations. Journal of the American Mosquito Control Association. 5 : 36-41.
- Morris, C. D. et K. B. Clanton. 1991. Service request acceptance and use by Florida mosquito control programs. Journal of the Florida Mosquito Control Association. 62 : 4-7.
- Morris, C. D. et K. B. Clanton. 1992. Comparison of people who request mosquito control services and their non-requesting neighbors. Journal of the American Mosquito Control Association. 8 : 65-68.
- Moulinier, C. I., J. P. Mas, Y. Moulinier, H. de Barjac, G. Giap et B. Couprie. 1981. Étude de l'innocuité de *Bacillus thuringiensis* var. *israelensis* pour les larves d'huitre. Bulletin de la Société de Pathologie Exotique. 74 : 381-391.
- Mulla, M. S.. 1985. Field evaluation and efficacy of bacterial agents and their formulations against mosquito larvae. pp. 227-250. Dans Integrated mosquito

- control methodologies. M. Laird et J. W. Miles (Eds.) Academic Press, San Diego, U.S.A.
- Mulla, M. S.. 1990. Activity, field efficacy, and use of *Bacillus thuringiensis israelensis* against mosquito. pp. 134-160 Dans Bacterial control of mosquitoes and black flies: biochemistry, genetics and applications of *Bacillus thuringiensis israelensis* and *Bacillus sphaericus*. H. de Barjac and D. J. Sutherland (Eds.), Rutgers University Press, New Brunswick.
- Mulla, M. S., B. A. Federici et H. A. Darwazeh. 1982a. Larvicidal efficacy of *Bacillus thuringiensis* ser. H-14 against stagnant-water mosquitoes and its effects on nontarget organisms. *Environmental Entomology*. 11 : 788-795.
- Mulla, M. S., B. A. Federici, H. A. Darwazeh et L. Ede. 1982b. Field evaluation of the microbial insecticide *Bacillus thuringiensis* ser. H-14 against floodwater mosquitoes. *Applied and Environmental Microbiology*. 43 : 1288-1293.
- Mulla, M. S., H. A. Darwazeh, L. Ede, B. Kennedy et H. T. Dulmage. 1985. Efficacy and field evaluation of *Bacillus thuringiensis* (H-14) and *B. sphaericus* against floodwater mosquitoes in California. *Journal of the American Mosquito Control Association*. 1 : 310-315.
- Mulla, M. S., H. A. Darwazeh et M. Zgomba. 1990. Effect of some environmental factors on the efficacy of *Bacillus sphaericus* 2362 and *Bacillus thuringiensis* (H-14) against mosquitoes. *Bulletin of the Society of Vector Ecology*. 15 : 166-175.
- Mulligan, F. S., C. H. Schaffer et W. H. Wilder. 1980. Efficacy and persistence of *Bacillus sphaericus* and *B. thuringiensis* H-14 against mosquitoes under laboratory and field conditions. *Journal of Economic Entomology*. 73 : 684-688.
- Nayar, J. K., J. W. Knight, A. Ali, D. B. Carlson et P. D. O'Bryan. 1999. Laboratory evaluation of biotic and abiotic factors that may influence larvicidal activity of *Bacillus thuringiensis* serovar. *israelensis* against two Florida mosquito species. *Journal of the American Mosquito Control Association*. 15 : 32-42.
- Niemi, G. J., A. E. Hershey, L. Shannon, J. M. Hanowski. A. Lima, R. P. Axler et R. R. Regal. 1999. Ecological effects of mosquito control on zooplankton, insects and birds. *Environmental Toxicology and Chemistry*. 18 : 549-559.
- Ohana, B., J. Margalit et Z. Barak. 1987. Fate of *Bacillus thuringiensis* subsp. *israelensis* under simulated field conditions. *Applied and Environmental Microbiology*. 53 : 828-831.
- Olejnicek, J.. 1986. The use of *Bacillus thuringiensis* var. *israelensis* in the biological control of blackflies in Czechoslovakia. *Wiadomosci Parazytologiczne*. 32 : 539-542.
- Olejnicek, J. et B. Maryskova. 1986. The influence of *Bacillus thuringiensis* var. *israelensis* on the mosquito predator *Notonecta glauca*. *Folia Parasitologica* 33 : 279-280.

- Olejnick, J., V. Matha et J. Weiser. 1985. The efficacy of *Bacillus thuringiensis* var. *israelensis* against larvae of the black fly *Odagmia ornata* (Meig.) (Simuliidae) at low temperatures. *Folia Parasitologica* 32 : 271-277.
- Painter, M. K., K. J. Tennessen et I. D. Richardson. 1996. Effects of repeated applications of *Bacillus thuringiensis israelensis* on mosquito predator *Erythemis simplicicollis* (Odonata: Libellulidae) from hatching to final instar. *Environmental Entomology*. 25 : 184-191.
- Palmer, R. W. 1993. Short-term impacts of formulations of *Bacillus thuringiensis* var. *israelensis* de Barjac and the organophosphate temephos, used in blackfly (Diptera: Simuliidae) control, on rheophilic benthic macroinvertebrates in the Middle Orange River, South Africa. *South African Journal of Aquatic Sciences*. 19 : 14-33.
- Palmer, R. W. et A. R. Palmer. 1995. Impacts of repeated applications of *Bacillus thuringiensis* de Barjac and temephos, used in blackfly (Diptera: Simuliidae) control, on macroinvertebrates in the Middle Orange River, South Africa. *South African Journal of Aquatic Sciences*. 21 : 35-55.
- Peckarsky, B. L.. 1984. Predator-prey interactions among aquatic insects. pp. 196-254 Dans *The ecology of aquatic insects*. V. H. Resh et D. M. Rosenberg (Eds.) Praeger Scientific, 625 p.
- Pistrang, L. A. et J. F. Burger. 1984. Effect of *Bacillus thuringiensis* var. *israelensis* on a genetically-defined population of blackflies (Diptera: Simuliidae) and associated insects in a montane New Hampshire stream. *Canadian Entomologist*. 116 : 975-982.
- Purcell, B. H.. 1981. Effects of *Bacillus thuringiensis* var. *israelensis* on *Aedes taeniorhynchus* and some non-target organisms in the salt marsh. *Mosquito News*. 41 : 476-484.
- Ramoska, W. A., C. Pacey et S. Watts. 1981. Tests on the pathogenicity and persistence of *Bacillus thuringiensis* var. *israelensis* (serotype H-14) and *Bacillus sphaericus* Neide against larvae of *Culex restuans* Theobald. *Journal of the Kansas Entomological Society*. 54 : 56-60.
- Ramoska, W. A., S. Watts et R. E. Rodrigues. 1982. Influence of suspended particles on the activity of *Bacillus thuringiensis* ser. H-14 against mosquito larvae. *Journal of Economic Entomology*. 75 : 1-4.
- Rashed, S. S. et M. S. Mulla. 1989. Factors influencing ingestion of particulate materials by mosquito larvae (Diptera: Culicidae). *Journal of Medical Entomology*. 26 : 210-216.
- Reish, D. J., J. A. Lemay et S. L. Asato. 1985. The effect of *Bti* (H-14) and methoprene on two species of marine invertebrates from southern California estuaries. *Bulletin of the Society of Vector Ecology*. 10 : 20-22.
- Robacker, D. C., A. J. Martinez, I. A. Garcia, M. Diaz et C. Romero. 1996. Toxicity of *Bacillus thuringiensis* to mexican fruit fly (Diptera: Tephritidae). *Journal of Economic Entomology*. 89 : 104-110.

- Roberts, G. M.. 1995. Salt-marsh crustaceans, *Gammarus duebeni* and *Palaemonetes varians* as predators of mosquito larvae and their reaction to *Bacillus thuringiensis* subsp. *israelensis*. *Biocontrol Science and Technology*. 5 : 379-385.
- Roe, R. M., V. L. Kallapur, W. C. Dauterman, F. W. Edens, M. E. Mayes, G. A. Held, C. Y. Kawanishi, R. A. Alford et C. W. Clifford. 1991. Vertebrate toxicology of the solubilized parasporal crystalline proteins of *Bacillus thuringiensis* subsp. *israelensis*. pp. 119-130. Dans *Reviews in Pesticide Toxicology*. E. Hodgson, R. M. Roe et N. Motoyama (Eds.), Vol 1, North Carolina State University, Raleigh, U.S.A..
- Saleh M. S., F. A. El-Meniawi, N. L. Kelada and H. M. Zahran. 2003. Resistance development in mosquito larvae *Culex pipiens* to the bacterial agent *Bacillus thuringiensis* var. *israelensis*. *Journal of Applied Entomology*. 127 : 29-32.
- Samples, R. J. et H. Buettner. 1983. Corneal ulcer caused by a biologic insecticide (*Bacillus thuringiensis*). *American Journal of Ophthalmology*. 95 : 258.
- Sandoski, C. A., M. W. Yates, J. K. Olson et M. V. Meisch. 1985. Evaluation of Beecomist<sup>T</sup> applied *Bacillus thuringiensis* (H-14) against *Anopheles quadrimaculatus* larvae. *Journal of the American Mosquito Control Association*. 1 : 316-319.
- Sebastien, R. J. et R. A. Brust. 1981. An evaluation of two formulations of *Bacillus thuringiensis* var. *israelensis* for larval mosquito control in sod-lined simulated pools. *Mosquito News*. 41 : 508-512.
- Service, M. W.. 1987. Monitoring of adult simuliid populations. pp. 187-200. Dans *Black Flies: Ecology, population management, and annotated world list*. C. C. Kim et R. W. Merritt (Eds.). The Pennsylvania State University, U.S.A.
- Service, M. W.. 1993. *Mosquito Ecology : Field Sampling Methods*. 2<sup>nd</sup> Edition. Elsevier Science Publishers Ltd. UK. 988 p.
- Shaddock, J. A.. 1980. *Bacillus thuringiensis* serotype H-14 maximum challenge and eye irritation safety tests in mammals. *World Health Organisation / Vector Biological Control*. 80 : 763.
- Sheeran, W. et S. W. Fisher. 1992. The effects of agitation, sediment, and competition on the persistence and efficacy of *Bacillus thuringiensis* var. *israelensis* (*Bti*). *Ecotoxicology and Environmental Safety*. 24 : 338-346.
- Siegel, J. P. 2001. The mammalian safety of *Bacillus thuringiensis*-based insecticides. *Journal of Invertebrate Pathology*. 77 : 13-21.
- Siegel, J. P. et J. A. Shaddock. 1990a. Mammalian safety of *Bacillus thuringiensis israelensis*. pp. 202-217. Dans *Bacterial control of mosquitoes and black flies: biochemistry, genetics and applications of Bacillus thuringiensis israelensis and Bacillus sphaericus*. H. de Barjac and D. J. Sutherland (Eds.), Rutgers University Press, New Brunswick.
- Siegel, J. P. et J. A. Shaddock. 1990b. Safety of microbial insecticides to vertebrates-humans. pp. 101-113. Dans *Safety of microbial insecticides*. M.

- Laird, L. L. Lacey et E. W. Davidson (Eds.), CRC Press Inc., Florida, U.S.A. pp. 259.
- Siegel, J. P., J. H. Shaddock et J. Szabo. 1987. Safety of the entomopathogen *Bacillus thuringiensis* var. *israelensis* for mammals. *Journal of Economic Entomology*. 80 : 717-723.
- Siegel, J. P., A. R. Smith and R. Novak. 2001. Recovery of commercially produced *Bacillus thuringiensis* var. *israelensis* and *Bacillus sphaericus* from tires and prevalence of bacilli in artificial and natural containers. *Journal of the American Mosquito Control Association*. 17 : 33-41.
- Sinègre., G., B. Gaven et J. L. Julien. 1980. Sécurité d'emploi du sérotype H-14 de *Bacillus thuringiensis* pour la faune non-cible des gîtes à moustiques du littoral méditerranéen français. *Parasitologia* 22 : 205-211.
- Sinègre, G., B. Gaven et G. Vigo. 1981. Contribution à la normalisation des épreuves de laboratoire concernant des formulations expérimentales et commerciales du sérotype H-14 de *Bacillus thuringiensis*. II. Influence de la température, du chlore résiduel, du pH et de la profondeur de l'eau sur l'activité biologique d'une poudre primaire. *Cahiers O.R.S.T.O.M. Série Entomologie Médicale et Parasitologie*. 19 : 149-155.
- Sjögren, R. D., D. P. Batzer et M. A. Junemann. 1986. Evaluation of methoprene, temephos and *Bacillus thuringiensis* var. *israelensis* against *Coquillettia perturbans* larvae in Minnesota. *Journal of the American Mosquito Control Association*. 2 : 276-279.
- Snarski, V. M.. 1990. Interactions between *Bacillus thuringiensis* subsp. *israelensis* and fathead minnows, *Pimephales promelas* Rafinesque, under laboratory conditions. *Applied and Environmental Microbiology*. 56 : 2618-2622.
- Standaert, J. Y.. 1981. Persistence et l'efficacité de *Bacillus thuringiensis* H-14 sur les larves de *Anopheles stephensi*. *Zeitschrift für Angewandte Entomologie*. 91 : 292-300.
- Stewart, R. J., C. H. Schaeffer et I. Miura. 1983. Sampling *Culex tarsalis* (Diptera: Culicidae) immatures on rice fields treated with combinations of mosquitofish and *Bacillus thuringiensis* H-14 toxin. *Journal of Economic Entomology*. 76 : 91-95.
- Su T. et M. S. Mulla. 1999. Microbial agents *Bacillus thuringiensis* ssp. *israelensis* and *Bacillus sphaericus* suppress eutrophication, enhance water quality, and control mosquito in microcosms. *Environmental Entomology*. 28 : 761-767.
- Thomas, W. E. et D. J. Ellar. 1983. *Bacillus thuringiensis* var. *israelensis* crystal-endotoxin: effects on insect and mammalian cells in vitro and in vivo. *Journal of Cell Science*. 60 : 181-198.
- Thompson, P. H.. 1967. Sampling of hematophagous Diptera with a conical trap and carbone dioxide, with special reference to *Culex salinarius*. *Annals of the Entomological Society of America*. 60 : 50-57.



- Tousignant, M. E., J. L. Boisvert et A. Chalifour. 1993. Loss of *Bacillus thuringiensis* var. *israelensis* larvicidal activity and its distribution in benthic substrates and hyporheic zone of streams. Canadian Journal of Fisheries and Aquatic Sciences. 50 : 443-451.
- Triska, F. J., V. C. Kennedy, R. J. Avanzino, G. W. Zellweger et K. E. Bancala. 1989. Retention and transport of nutrients in a third-order stream in northwestern California: hyporheic processes. Ecology. 70 : 1893-1905.
- Undeen, A. H. et M. Colbo. 1980. The efficacy of *Bacillus thuringiensis* var. *israelensis* against blackfly larvae (Diptera: Simuliidae) in their natural habitat. Mosquito News. 40 : 1-184.
- Undeen, A. H. et W. L. Nagel. 1978. The effect of *Bacillus thuringiensis* ONR-60A strain (Goldberg) on *Simulium* larvae in the laboratory. Mosquito News. 38 : 524-527.
- Undeen, A. H., L. A. Lacey et S. W. Avery. 1984. A system for recommending dosage of *Bacillus thuringiensis* (H-14) for control of simuliid larvae in small streams based upon stream width. Mosquito News. 44 : 553-559.
- Vought, L. B. M., J. O. Lacoursière et N. J. Voelz. 1991. Streams in the agricultural landscape? Vatten. 47 : 321-328.
- Ward, E. S., A. R. Ridley, D. J. Ellar et J. A. Todd. 1986. *Bacillus thuringiensis* var. *israelensis*  $\delta$ -endotoxin: cloning and expression of the toxin in sporogenic and asporogenic strains of *Bacillus subtilis*. Journal of Molecular Biology. 191 : 13-22.
- Warren, R. E., D. Rubenstein, D. J. Ellar, J. M. Kremer et R. J. Gilbert. 1984. *Bacillus thuringiensis* var. *israelensis*: protoxin activation and safety. The Lancet. March 24 : 678-679.
- Weiser, J. et J. Vankova. 1978. Toxicity of *Bacillus thuringiensis israelensis* for blackflies and other freshwater invertebrates. pp. 243-244. Dans Proceedings of the International Colloquium on Invertebrate Pathology Weiser, J. (Ed.), Prague, Czech.
- Werner, D. et A. C. Pont. 2003. Dipteran predators of simuliid blackflies : a worldwide review. Medical and Veterinary Entomology. 17 : 115-132.
- West, A. W., H. D. Burges, T. J. Dixon et C. H. Wyborn. 1985. Survival of *Bacillus thuringiensis* and *Bacillus cereus* spores inocula in soil: effects of pH, moisture, nutrient availability and indigenous microorganisms. Soil Biology and Biochemistry. 17 : 657-665.
- WHO (World Health Organization). 1999. Microbial Pest Control Agent *Bacillus thuringiensis*. Environmental Health Criteria. 217. WHO (Ed.) Geneva. 114p.
- Wipfli, M. S. et R. W. Merritt. 1994a. Effects of *Bacillus thuringiensis* var. *israelensis* on nontarget benthic macroinvertebrates through direct and indirect exposure. Journal of the North America Benthological Society. 13 : 190-205.
- Wipfli, M. S. et R. W. Merritt. 1994b. Disturbance to a stream food web by a

bacterial larvicide specific to black flies: feeding responses of predatory macroinvertebrates. *Freshwater Biology*. 32 : 91-103.

- Wipfli, M. S., R. W. Merritt et W. W. Taylor. 1994. Low toxicity of the black fly (Diptera: Simuliidae) larvicide *Bacillus thuringiensis* var. *israelensis* to early stages of brook trout, *Salvelinus fontinalis*; brown trout, *Salmo trutta*; and steelhead trout, *Onchorychus mykiss* following direct and indirect exposure. *Canadian Journal of Fisheries and Aquatic Sciences*. 51 : 1451-1458.
- Wirth, M. C., J. A. Ferrari et G. P. Georghiou. 2001. Baseline susceptibility to bacterial insecticides in populations of *Culex pipiens* complex (Diptera: Culicidae) from California and from the Mediterranean Island of Cyprus. *Journal of Economic Entomology*. 94 : 920-928.
- Wotton, R. S., M. S. Wipfli, L. Watson et R. W. Merritt. 1993. Feeding variability among individual aquatic predators in experimental channels. *Canadian Journal of Zoology*. 71 : 2033-2037.
- Wotton, R. S., B. Malmqvist, T. Muotka et K. Larsson. 1998. Fecal pellets form a dense aggregation of suspension feeders: an example of ecosystem engineering in a stream. *Limnology and Oceanography*. 43 : 719-725.
- Yaméogo, L., C. Levèque, K. Traoré, et C. P. Fairhurst 1988. Dix ans de surveillance de la faune aquatique des rivières d'Afrique de l'Ouest traitées contre les simulies (Diptera: Simuliidae), agents vecteurs de l'onchocercose humaine. *Naturaliste Canadien*. 115 : 287-298.